



Manufacturing for extreme conditions

Title

Machining

Sub-title

CNC Metal Forming

Ermaksan CNC Brake

1. 275 Ton capacity
2. ½" capacity 10' length

Ermaksan CNC Shear

1. ½" capacity at 10" length
2. Vertical Lathe
3. 40" swing
4. 24" height
5. 30 HP, 2 axis DRO

CNC Machining

(1) Turning

1. Mazak Slant Turn 50: 31" swing, 120" between centers, 50 HP
2. Mori Seiki: 24" swing, 24" between centers
3. Mazak Quick turn 200: 12" swing, 20" between center

(2) Milling

1. Mazak VTC 300: X=69", Y=25", Z=26"
2. Mori Seiki NVX 5100: X=40", Y=21", Z=20"
3. Mazak VTC 200B: X=44", Y=20", Z=18"
4. HwacheonVesta1000: X=39", Y=20", Z=19"

Boring mill

1. Fermat WFT 13: X=138", Y=138", Z=78"
2. 15 Ton rotary table capacity

Material Handling

1. 30 Ton Mobile Lift Capacity
2. 20 Ton Overhead Lift Capacity (30 ft under hook)

Conventional Machining

Turning

1. 84" swing, 60' between centers
2. 57" swing, 21' between centers
3. 44" swing, 25' between centers
4. 42" swing, 36' between centers
5. 40" vertical lathe, 24" height

Milling

Bridgeport type mill

Boring mill

1. 120" – cross travel
2. 96" – vertical
3. 144" – longitudinal

Boring mill

1. 45" – cross travel
2. 36" – vertical
3. 80" – longitudinal

Offices

Canada

355 MacNaughton Avenue, Moncton | New Brunswick – E1H2J9

Tel: 1-506-858-0393 | Fax: 1-506-858-0603



USA

10695 Shadow Wood Drive, Houston, Texas 77043

Tel: 1-713-595-8880 | Fax: 1-713-595-8881



Malaysia

NO. 9, Jalan Haji Abdul Manan 3/KU8, Kawasan Perindustrian Meru Barat,
42200 Kapar, Klang, Selangor DE

Tel: +6-03-3393-5572 | Fax: +6-03-3392-5571



MHD Offshore is a sister company of Maritime Hydraulic focused in Offshore solutions